DIA	$\mathbf{R}\mathbf{F}'$	TES	$C\Delta$	RE	PΙ	ΔN
	עונו	エコハフ			1 12	

Student's Name	Date of Birth				
School	Grade	Type	Diabetes		
Effective Dates for Plan:	/ to	_//			
Parent/Guardian: Complete provider and the school nurse student's parent/guardian and school. Attach other instruct appropriate school staff unlet Health Care Provider: Revenecessary changes or additionurse. Where are student's diabete	se. The diabetes care nd health care provid ctions/forms if needed ess you state otherwis iew and authorize thi ons. Sign and return	e plan requires the er. Return the cod. This informatise. s diabetes care puthe plan to parer	e signature of the completed, signed plan to ion will be shared with lan and make any at/guardian or school		
Does the student wear a med	dic alert? YES	NO			
Notify parents in the follow	wing situations:				
Access to water: Testing concerns:	ons for this student in es: Allow free and un Student should be Academic perform	iclude but are no limited use of ba allowed to carry ance may be adv od sugar levels. The	water bottle if desired. versely affected due to Therefore, additional		
	EMERGENCY AC	HON PLAN			
LOW BLOOD SUGAR (H	IYPOGLYCEMIA)				
SYMPTOMS					
Hunger, sweating, trembli irritability, sleepiness, hea coordination, personality omg/dl. Call parent/guardian and	dache, dizziness, cry change, complains o	ying, slurred sp of feeling "low",	eech, poor blood sugar below		

Symptoms of low blood sugar for this student:
Times student is most likely to experience a low blood sugar: Where are glucose tablets and snacks kept?
Has Health care provider authorized use of glucagon? YES NO Where is glucagon kept?
BLOOD SUGAR MONITORING
TREATMENT FOR LOW BLOOD SUGAR (HYPOGLYCEMIA)
 Give fast sugar immediately, such as glucose tablets, fruit juice, regular soda, glucose gel, or
 If student is unconscious, experiencing a seizure, or unable to swallow: Contact school nurse immediately to inject emergency glucagon, if authorized for student. Glucagon Dosage (if authorized)

HIGH BLOOD SUGAR (Hyperglycemia)

SYMPTOMS	
Frequent urination, excessive thirst, nausea, vom confusion, blurred vision, inability to concentratemg/dl.	
Symptoms of high blood sugar for this student:	
Call parent/guardian and health care provider if mg/dl. Where are insulin and ketene testing supplies kept? TREATMENTS FOR HIGH BLOOD SUGAR &	
To correct high blood sugar, give insulin:mg/dl over	
Sliding Scale to = unit to = units to = units to = units to = units • Check for ketones if blood sugar is above Check blood sugar again in and at intervals. • Allow free and unlimited use of bathroom. Encourage student to drink water and	Insulin Injections Does student know how to: Give own injections? Yes No Determine correct insulin dose? Yes No Draw up correct insulin dose? Yes No Handle & dispose of needles safely? Yes No
 other sugar-free liquid. If moderate or higher ketones are present parent/guardian immediately. If symptoms worsen or the student begins and parent/guardian immediately. Other instructions for treating high blood sugar 	vomiting, call health care provider
Target range of blood sugar:to Type of kept at school? Yes No What help will the student need with blood sugar test Usual times for the student to test blood sugar: Will student need insulin at school? YES NO When	sting?

What help will the student need with insulin injections?

Insulin/carbohydrate ratio for meals/snacks:units for every					
FOR STUDENTS ON IN	ISULIN PUMPS				
Insulin/carbohydrate ration High blood sugar correction Back-up means of insulin What help will student need	n for meals/snacks: on ratio: units for eve administration?	mp: units for every ry mg/dl over			
	FOOD AND EXERCISE				
Mid-afternoon	Food Content/ Amount	Preferred Snacks:			
Student should not exerged belowmg/dl OR above mg/dl	G	Foods to Avoid:			
	tructions:				
Parent/guardian Date (Signed)	Health Care Provider Tel. # (Reviewed & signed) Date	School Nurse			
•		Date Received			